Ref #	Hits	Search Query	DBs	Default Operat or	Plural s	Time Stamp
L1	7	("4270421" "4298784" "471 8418" "4754208" "5237148 " "5798927" "6231566"). PN.	US-PGPU B; USPAT	OR	ON	2006/08/23 11:10
L2	692	219/121.71.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 11:58
L3	836	219/121.72.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 11:11
L4	1070	219/121.67.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 11:11
L5	1177	219/121.68.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 11:11

L6	1483	219/121.69.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 11:12
L7	739	219/121.78.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 11:12
L8	215	219/121.79.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 11:12
L9	567	219/121.8.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 11:12
L10	291	700/159.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 11:13

8/23/2006 1:38:28 PM
Page 2
C:\Documents and Settings\maboagye\My Documents\EAST\Workspaces\10767618 method of laser milling with constant tool path 219-1:

	·					
L11	254	700/166.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 11:13
L12	157	700/161.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 11:13
L13	1482	1 or 2 or 3 .	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 11:14
L14	5382	13 or 4 or 5 or 6 or 7 or 8 or 9	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 11:14
L15	5972	14 or 10 or 11 or 12	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 11:14

8/23/2006 1:38:28 PM
C:\Documents and Settings\maboagye\My Documents\EAST\Workspaces\10767618 method of laser milling with constant tool path 219-1:

L16	1400	15 and laser near10(mill\$3 or ablat\$3 or machin3 or punch\$3 or drill\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 12:10
L18	12	16 and control\$4 near10 (tool adj path)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 11:18
L22	989	15 and laser near10(etch\$3 or trim\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 11:44
L23	110	(22 or 16) and (ink adj jet)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 12:07
L26	8	23 and (constant near10 path)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 11:48

1.67	4046	040/404 05 1	LUC BORL	00	ON	2006/08/22
L27	1810	219/121.85.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 11:58
L28	386	264/400.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 11:59
L29	888	264/154.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 11:59
L30	3163	430/945.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 12:03
L31	6176	27 or 28 or 29 or 30	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 12:07

8/23/2006 1:38:28 PM Page 5
C:\Documents and Settings\maboagye\My Documents\EAST\Workspaces\10767618 method of laser milling with constant tool path 219-1:

L32	158	31 and (ink adj jet)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 12:09
L33	155	31 and (ink adj jet)and laser	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 12:24
L34	114	33 and (mill\$3 or ablat\$3 or machin3 or punch\$3 or drill\$3 or etch\$3 or trim\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 12:25
L40	9	34 and constant same (speed or velocity)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 12:22
L45	201	laser near10 constant near 10(speed or velocity)near10 (mill\$3 or ablat\$3 or machin3 or punch\$3 or drill\$3 or etch\$3 or trim\$4)same (ink adj jet)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 12:48

8/23/2006 1:38:28 PM
C:\Documents and Settings\maboagye\My Documents\EAST\Workspaces\10767618 method of laser milling with constant tool path 219-1:

L50	1904	laser adj beam near10 constant near10 (speed or velocity)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 13:04
L51	555	laser adj beam near10 constant adj (speed or velocity)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 13:04
L52	79	laser adj beam adj constant adj (speed or velocity)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/08/23 13:04

8/23/2006 1:38:28 PM Page 7